

RHA kits 1150



MAKE			Lowering ± in mm		Notes		
Model	Year		Front	Rear	Front	Rear	KIT-number
AUDI							
A3 / S3							
excl. Quattro	8L	9.96-03	50	40	⊖ HFS	H N	1150-5007
excl. Quattro With ride height adjustable rear axle	8L	96-03	50	40	⊖ HFS	H ST	1150-5041
S3/(A3) Quattro With ride height adjustable rear axle	8L	00-03	45	45	⊖ HFS	H ST	1150-5057
A3	8P	03.03-04					in development
A4							
Sedan, Avant 4-cyl. incl. Face-Lift, excl. Quattro	B5	95-00	50	40	H S	H S	1150-5005-1
Sedan, Avant 6-cyl. incl. Face-Lift, excl. Quattro	B5	95-00	50	40	H S	H S	1150-5020
Quattro Sedan, Avant 4-cyl. excl. S4	B5	95-00	50	40	H S	H S	1150-5018
Quattro Sedan, Avant 6-cyl. excl. S4	B5	95-00	50	40	H S	H S	1150-5019
Sedan, Avant 4 / 6-cyl. incl. Quattro	B6, 8E	01-04	55	50	G S	G ST	1150-5061
A6							
Sedan 4-cyl. excl. Quattro	4B, C5	04.97-04	55	40	H S	G N	1150-5015
Sedan 6-cyl. excl. Quattro	4B, C5	04.97-04	55	40	H S	G N	1150-5016
TT							
Roadster, Coupé excl. Quattro	8N	98-04	45	45	⊖ HFS	H ST	1150-5058
Roadster, Coupé Quattro	8N	98-04	45	45	⊖ HFS	H ST	1150-5057
BMW							
3-SERIES							
Sedan, Coupé, Cabrio 4-cyl. models incl. M-Technik, 316i, 318i/ls, 318tds excl. Compact and Touring	E36	10.91-99	50	40	⊖ HFS	G N	1150-5017
Sedan, Coupé 6-cyl. models incl. M-Technik, 320i, 323i, 325i, 324td, 325td/tds excl. Cabrio, Compact and Touring SEE NOTE BELOW!	E36	10.91-99	50	40	⊖ HFS	G N	1150-5000
Sedan, Coupé, Cabrio 4-cyl. models incl. M-Technik, 316i, 318i/ls, 318tds excl. Compact and Touring With ride height adjustable rear axle	E36	10.91-99	50	40	⊖ HFS	G ST	1150-5069
Sedan, Coupé 6-cyl. models incl. M-Technik, 320i, 323i, 325i, 324td, 325td/tds excl. Compact and Touring. With ride height adjustable rear axle	E36	10.91-99	55	40	⊖ HFS	G ST	1150-5069
Compact 316i, 318i, 318tds, 323i, * for M-Technik max. lowering = 35/25 mm	E36	94-00	55*	45*	⊖ HFS	H N	1150-5025
316i, 318i, 318d, 320i, 320d, 323i, 328i, 330d, 330i Sedan, Coupé, Cabriolet excl. Touring + Xi models (4WD)	E46	98-04	60	45	⊖ HFS	G ST	1150-5045
Compact. With ride height adjustable rear axle	E46	00-04	50	35	⊖ HFS	G ST	1150-5064
M3 incl. Cabrio	E36	9.93-99	35	20	⊖ HFS	G N	1150-5023
M3	E46	00-04					in development
Z3 Roadster, Coupé excl. M3		4.96-02	40	30	⊖ HFS	G N	1150-5029
Important: Regarding Kit-number 1150-5000: with cars up to May 1992 the upper attachment must be replaced by BMW partnumber 31.331.090.467.							
FIAT							
Punto							
Punto	176/176C	9.93-6.99	50	35	⊖ G FS	G N	1150-5024
Punto 2	188	07.99-04	50	40	⊖ G FS	H N	1150-5046
FORD							
Fiesta							
Fiesta 3 + 5 doors	JAS, JBS	96-8.98	60	50	⊖ G FS	G S	1150-5027
Face-Lift	JAS, JBS	9.98-8.01	60	50	⊖ G FS	G S	1150-5051
Focus							
Sedan, Hatchback incl. ST170, excl. "RS"		98-04	65	55	⊖ G FS	G S	1150-5077
Focus Wagon incl. ST170, excl. "RS"		98-04	65	50	⊖ G FS	G S	1150-5078
Ka							
Ka	RBT	86-8.98	60	50	⊖ G FS	G S	1150-5026
Face-Lift	RBT	9.98-02	60	50	⊖ G FS	G S	1150-5049
Puma							
Puma (rear bottom attachment = U-bracket)	ECT	97-8.98	55	50	⊖ G FS	G S	1150-5028
Puma Face-Lift (rear bottom attachment = eye)	ECT	9.98-02	55	50	⊖ G FS	G S	1150-5050
HONDA							
Civic							
Sedan, Hatchback	EG / EH	92-95	60	60	⊖ G S	⊖ G S	1150-5006-1
CRX Coupé all	EG2 / EH6	7.92-00	60	60	⊖ G S	⊖ G S	1150-5006-1
Coupé (USA) e6*93/81*0016*... e6*93/81*0017*.. (only for cars with a U-bracket attachment on the rear damper!)	EJ1 / EJ2	7.92-8.95	60	60			1150-5006-1
Sedan, Coupé, CRX	EJ6/8/9, EK1/3/ 4, MA8/9, MB1/ 2/3/4/6	97-00	60	60	⊖ G S	⊖ G S	1150-5010
MAZDA							
MX-5							
MX-5, Miata, Eunos Roadster	NA	89-97	40	40	⊖ G S	⊖ G S	1150-5031
MX-5, Miata, Eunos Roadster	NB	98-04	45	45	⊖ G S	⊖ G S	1150-5062

RHA kits 1150



MAKE		Lowering ± in mm		Notes			
Model	Year	Front	Rear	Front	Rear	KIT-number	
MINI							
MINI							
incl. Cooper + Cooper 'S' Only for cars with anti-roll bar attached to damper body	R50	03.02-04	50	45	⊖ G F S	G S	1150-5079
NISSAN							
Z-Series							
350 Z 3.5 V6-24V		03-04					in development
OPEL							
Astra							
Astra G Sedan, Hatchback incl OPC, excl. Caravan (OPC: limited lowering)	T98, T98/V, T98/NB	98-04	60	40	⊖ H F S	HN	1150-5043
Astra G Coupé, Cabriolet incl. OPC (OPC: limited lowering)	T98C	98-04	45	35	⊖ H F S	HN	1150-5044
Corsa							
Corsa A excl. TR	A, A-CC	83-93	65	50	⊖ H F S	HN	1150-5004
Corsa B all models incl. GSI	B, S93	3.93-9.00	65	50	⊖ H F S	HN	1150-5004
Corsa C	C	10.00-04	55	50	⊖ H F S	H ST	1150-5063
Tigra							
Tigra	S93 Coupé	11.94-00	50	40	⊖ H F S	HN	1150-5004
Vectra							
Vectra B Sedan, Caravan (4 / 6-cyl. models)	J96, 96 Combi	10.95-01	55	45	⊖ H F S	HS	1150-5032
Vectra C		02-04					in development
PEUGEOT							
406							
Sedan, excl. Break, Coupé excl. models with Electr. Damper System		95-03	50	40	⊖ H F S	G N	1150-5040
RENAULT							
Clio II							
Clio II 1.4, 1.6, 1.9D, incl. 16V models, excl. 1.2, 2.0-16V	B	98-03	60	45	⊖ H F S	G HN	1150-5039
Twingo							
Twingo (only for cars with anti-roll bar NOT attached to damper body)	C06, G391	93-9.00	60	60	⊖ H F S	G S	1150-5038
SEAT							
Arosa							
Arosa	6H, 6HS	4.97-03	60	45	⊖ H F S	HN	1150-5033
Cordoba							
Cordoba excl. Vario	6K/C	11.93-9.99	60	50	⊖ H F S	⊖ HS	1150-5013
Cordoba Face-Lift	6K	10.99-9.01	60	60	⊖ H F S	⊖ HS	1150-5056
Cordoba excl. Vario	6L	10.01-04	60	50	⊖ H F S	H ST	1150-5075
Ibiza							
Ibiza	6K	3.93-9.99	60	50	⊖ H F S	⊖ HS	1150-5013
Ibiza Face-Lift	6K	10.99-9.01	60	60	⊖ H F S	⊖ HS	1150-5056
Ibiza	6L	10.01-04	60	50	⊖ H F S	H ST	1150-5075
Leon							
Leon all (front wheel drive)	1M	99-04	45	35	⊖ H F S	HN	1150-5036
(front wheel drive) with ride height adjustable rear axle	1M	99-04	45	35	⊖ H F S	H ST	1150-5054
Leon 4 1.8T-20V (4 wheel drive) With ride height adjustable rear axle, anti-roll bar attached to damper body	1M	00-04	45	35	⊖ H F S	H ST	1150-5057
Toledo							
Toledo Sedan all incl. 2.0i-16V	1L	91-98	60	50	⊖ H F S	⊖ G S	1150-5012
Toledo Sedan all (front wheel drive)	1M	99-04	45	35	⊖ H F S	HN	1150-5036
(front wheel drive) With ride height adjustable rear axle	1M	99-04	45	35	⊖ H F S	H ST	1150-5054
SKODA							
Fabia							
Fabia	6Y	99-04	60	50	⊖ H F S	H ST	1150-5075
Octavia							
Octavia Sedan excl. 'RS'-types, 4WD	1U	3.97-03	40	40	⊖ H F S	HN	1150-5022
VOLKSWAGEN							
Bora							
Bora all excl. 6-cyl., VR6, Variant, 4-Motion	1J	98-03	45	35	⊖ H F S	HN	1150-5035
With ride height adjustable rear axle	1J	98-03	45	35	⊖ H F S	H ST	1150-5053
Corrado							
2.0 (85 kW), 16V, G60, VR6	53i	88-95	60	50	⊖ H F S	⊖ G S	1150-5002-1
Golf 2 / Jetta 2							
Golf 2 / Jetta incl. GTi-16V, excl. Syncro, G60 models	19E	9.83-91 / 84-7.94	65	55	⊖ H F S	⊖ G S	1150-5001-1
Golf 3							
Golf 3 excl. Syncro, Variant	1XHO, 1H	8.91-97	65	55	⊖ H F S	⊖ G S	1150-5002-1
Golf 3 Cabriolet	1EXO, 1E	93-00	65	55	⊖ H F S	⊖ G S	1150-5002-1
Golf 3 GTi-16V, VR6 excl. Syncro, Variant	1HXO, 1H	8.91-9.97	60	50	⊖ H F S	⊖ G S	1150-5002-1
Golf 4							
Golf 4 1.4, 1.6, 1.8, 1.8T, Diesel all, incl. VR5, excl. 4-Motion, Variant	1J	10.97-03	45	40	⊖ H F S	HN	1150-5009
Golf 4 1.4, 1.6, 1.8, 1.8T, Diesel all, incl. VR5, excl. 4-Motion, Variant	1J	10.97-03	45	45	⊖ H F S	H ST	1150-5048
With ride height adjustable rear axle							
Golf 4 4-Motion excl. Variant (With anti-roll attached to damper body)	1J	00-03	45	45	⊖ H F S	H ST	1150-5057

Notes see inside cover

RHA kits 1150



MAKE			Lowering ± in mm		Notes		
Model	Year		Front	Rear	Front	Rear	KIT-number
VOLKSWAGEN - CONTINUED							
Golf 5							in development
Lupo							
Lupo excl. GTi, FSI (6E), 1.2 3L, TDI	6X, 6ES	98-01	60	45	⊕ HFS	H N	1150-5030
New Beetle							
Beetle incl. Cabriolet, excl. 4-Motion, "RSi"	9C	98-04	45	35	⊕ HFS	H N	1150-5034
Beetle incl. Cabriolet, excl. 4-Motion and "RSi" With ride height adjustable rear axle	9C	98-04	45	35	⊕ HFS	H ST	1150-5052
Passat							
Passat Sedan excl. Syncro	3B	10.96-01	55	45	H S	G N	1150-5011
Passat Variant excl. Syncro	3B	10.96-01	55	40	H S	G N	1150-5014
Passat Sedan excl. Syncro front axle load up to 1090 kg	3BG	01-04	60	40	HFS	G N	1150-5011
Passat Sedan excl. Syncro front axle load up to 1205 kg	3BG	01-04	60	40	HFS	G N	1150-5067
Passat Variant excl. Syncro front axle load up to 1090 kg	3BG	01-04	60	40	HFS	G N	1150-5014
Passat Variant excl. Syncro front axle load up to 1205 kg	3BG	01-04	60	40	HFS	G N	1150-5016
Polo							
Polo incl. 16V, excl. Classic, Variant	6N	10.94-9.99	60	60	⊕ HFS	⊕ H S	1150-5003-1
Face-Lift	6N	10.99-01	60	60	⊕ HFS	⊕ H S	1150-5055
Polo 3	9N	10.01-04	60	55	⊕ HFS	H ST	1150-5075
Vento							
Vento all incl.VR6	1HXO, 1H	8.91-9.97	65	50	⊕ HFS	⊕ S	1150-5002-1

*Note for Audi A3, Bora, Golf 4, New Beetle, Oktavia, Toledo: If drive shaft diameter > 42mm the maximum permissible lowering is not to exceed 30mm. Further lowering could lead to drive shaft / anti-roll bar damages.
Carefully read the enclosed instructions !

⊕ = Externally adjustable, H = Hydraulic-Damper, G = Gas-charged damper, F = Complete strut, S = Threaded housing with adjustable spring seat, ST = Adjustable (lower) spring seat, N = Not in ride-height adjustable.

--	--	--	--	--	--	--	--